

**APPENDIX C:  
SUGGESTED OUTDOOR RECREATION FACILITY DEVELOPMENT  
STANDARDS**

<b>SUGGESTED OUTDOOR FACILITY DEVELOPMENT STANDARDS</b>				
<b>Activity Format</b>	<b>Recommended Size and Dimensions</b>	<b>Recommended Space Requirements</b>	<b>Recommended Orientation</b>	<b>Service Radius and Location Notes</b>
<b>Badminton</b>	Singles--17' x 44' Doubles--20' x 44' with 5' unobstructed area on both sides	1622 sq. ft.	Long axis north - south	¼ - ½ mile. Usually in school recreation center or church facility. Safe walking or biking or biking access.
<b>Basketball</b> <b>1. Youth</b> <b>2. High School</b> <b>3. Collegiate</b>	46' - 50' x 84' 50' x 84' 50' x 94' with 5' unobstructed space all sides.	2400-3036 sq. ft. 5040-7280 sq. ft. 5600-7980 sq. ft.	Long axis north - south	¼ - ½ mile. Same as badminton. Outdoor courts in neighborhood/community parks, plus active recreation areas in other park settings.
<b>Handball (3-4 wall)</b>	20' x 40' with a minimum of 10' to rear of 3-wall court. Minimum 20' overhead clearance.	800 sq. ft. for 4-wall, 1000 sq. ft. for 3-wall.	Long axis is north - south. Front wall at north end.	15 - 30 min. travel time, 4-wall usually indoor as part of multi-purpose building. 3-2 all usually in park or school setting.
<b>Ice Hockey</b>	Rink 85' x 200' (Min. 85' x 185') Additional 5000 22,000 sq. ft. including support area.	22,000 sq. ft. including support area.	Long axis is north - south if outdoors.	½ - 1 hour travel time. Climate important consideration affecting no. of units. Best as part of multipurpose facility.
<b>Tennis</b>	36' x 78'. 12 ft. clearance on both ends.	Min. of 7,200 sq. ft. single court area (2 acres per complex)	Long axis north - south	¼ - ½ mile. Best in batteries of 2 - 4. Located in neighborhood/community park or near school site.
<b>Volleyball</b>	30' x 60'. Minimum of 6' clearance on all sides.	Minimum 4,000 sq. ft.	Long axis north - south	½ - 1 mile.
<b>Baseball</b> <b>1. Official</b>  <b>2. Little League</b>	Baselines - 90' Pitching distance--60.5' Foul lines - min. 320' Center field - 400'+  Baselines - 60' Pitching distance - 46' Foul lines - 200' Center field - 200' - 250'	3.0 - 3.85 A min.  1.2 A min.	Locate home plate so pitcher is not throwing across sun, and batter not facing it. Line from home plate through pitchers mound to run east-northeast.	¼ - ½ mile. Part of neighborhood complex. Lighted fields part of community complex.
<b>Field Hockey</b>	180' x 300' with a minimum of 10' clearance on all sides.	Minimum 1.5 A	Fall season - Long axis northwest or southeast. For longer periods, north/south	15 - 30 minute travel time. Usually part of baseball, football, soccer complex in community park or adjacent to high school.
<b>Football</b>	160' x 360' with a minimum of 6' clearance on all sides.	Minimum 1.5 A	Same as field hockey.	15 - 30 min. travel time. Same as field hockey.
<b>Soccer</b>	195' to 225' x 330' to 360' with 10' minimum clearance on all sides.	1.7 - 2.1 A	Same as field hockey.	1 - 2 miles. Number of units depends on popularity. Youth popularity. Youth soccer on smaller fields adjacent to fields or neighborhood parks.
<b>Golf - Driving Range</b>	900' x 690' wide. Add 12' width each additional tee.	13.5 A for min. of 25 tees.	Long axis is southwest - northeast with golfer driving northeast.	30 minute travel time. Park of golf course complex. As separate unit may be privately operated.

<b>SUGGESTED OUTDOOR FACILITY DEVELOPMENT STANDARDS (continued)</b>				
<b>Activity Format</b>	<b>Recommended Size and Dimensions</b>	<b>Recommended Space Requirements</b>	<b>Recommended Orientation</b>	<b>Service Radius and Location Notes</b>
<b>¼ mile running track</b>	Over-all width - 276' length - 600'. Track width for 8 - 4 lanes is 32'.	4.3 A	Long axis in sector from north to south to northwest - southeast, with finish line at north end.	15 - 30 minute travel time. Usually part of a high school or community park complex in combination with football, soccer, etc.
<b>Softball</b>	Baselines - 60' pitching distance - 45' men. 40' women Fast pitch field radius from plate - 225' Slow pitch - 275' (men) 250' (women)	1.5 - 2.0 A	Same as baseball. indimensions for 16".	¼ - ½ mile. Slight difference. May also be used for youth baseball.
<b>Multiple use court (basketball, tennis, etc.)</b>	120' x 80'	9,840 sq. ft.	Long axis of court with primary use north and south.	1 - 2 miles, in neighborhood or community parks.
<b>Archery range</b>	300' length x minimum 10' between targets. Roped, clear area on side of range minimum 30', clear space behind targets minimum of 90' x 45' with bunker.	Minimum 0.65 A	Archer facing north + or - 45 degrees.	30 minutes travel time. Part of a regional/metro complex.
<b>Golf</b> <b>1. Par 3 (18 hole)</b> <b>2. 9-hole standard</b> <b>3. 18-hole standard</b>	Average length varies -600 - 2700 yards.  Average length 2250 yards  Average length 6500 yards.	50 - 60 A  Minimum of 50 A  Minimum 110 yards	Majority of holes on north/south axis	½ - 1 hour travel time  9-hole course can accommodate 350 people/day  500 - 550 people/day.  Course may be located in community, district or regional/metro park.
<b>Swimming pools</b>	Teaching - min. 25 yards x 45' even depth of 3-4 ft.  Competitive - min. 25 m x 16 m. Min. of 25 sq. ft. water surface per swimmer. Ration of 2 to 1 deck to water.	Varies on size of pool and amenities. Usually 1 - 2 A sites.	None, but care must be taken in siting life stations in relation to afternoon sun.	15 to 30 minutes travel time. Pools for general community use should be planned for teaching competitive and recreational purposes with enough to accommodate 1m and 3m diving boards. Located in community park or school site.
<b>Beach areas</b>	Beach area should have 50 sq. ft. of land and 50 sa. ft. of water per user. Turnover rate is 3. There should be a 3-4 A supporting area per A of beach.	N/A	N/A	½ to 1 hour travel time. Should have a sand bottom with a maximum slope of 5%. Boating areas completely segregated from swimming areas. In regional/metro parks.